

TFC-22

Optical Fiber Cleaver



Make It Easy



Product introduction

- Cleaved Angel <0.5 degrees
- Large capacity waste fiber bin
- 48000 cleaves
- Fall proof, dust proof and water proof
- Automatic return of blade
- 3-in-1 holder, 0.25-3.0mm fiber
- Aluminum alloy material
- Replaceable blade and fixture

Product functions



bare fiber



0.9mm fiber cable



3.0mm jump cable




FTTH drop cable



TFC-22 adopts metal body which is fall resistance, replaceable blade help to save time and more economic. TFC-22 cutting fiber and collecting waster fiber simultaneously, high precision CNC, tungsten steel refined blade. High precision, 48000 cleaves, replaceable fixture save your time and money.

Product features



3-in-1 holder



Waste bin



16 positions and 48000 cleaves life

Product configuration

Item	P/N	Quantity
TFC-22 main body/blade	TFC-22-01	1
3-IN-1 Universal Fiber Holder	TFC-22-91	1
Large Capacity Fiber Waste Bin	TFC-22-11	1
Hexagonal Wrench	TFC-22-12	1
Semi-hard Case	TFC-22-13	1
Operation Manual	TFC-22-14	1

Product parameter

Fiber Types	single fiber
Coating Diameter	160--900 μ m
Clad Diameter	125 μ m
Cleaved Angel	$\leq 0.5^\circ$
Cleave Length	9-16mm($\phi 0.25$) 10-16mm($\phi 0.9$)
Blade Life	48000 cleaves (3000 x16 positions)
Dimensions	62Wx64Dx74H mm
Weight	350g

Product display



HEAD OFFICE:
TAWAA TOOLS LIMITED

CONTACT US:

Headquarters address:

China (Jiangsu) Pilot Free Trade Zone Suzhou Area Room 1703,
Shanglv Building, No.381 East of Suzhou Avenue, Industrial Park.

Factory address:

B Building Zhongzhi Science and Technology Park, No.95 Xingangwan
Road, Liuhe Economic Development Zone, Nanjing, Jiangsu, China.

Phone : 0512-87811849

Website : www.tawaa.com

Email : info@tawaa.com



Website